

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Integrated**

**12V/ 3W MICRO-LITE DIAMETER Ø22MM (± 7/8") 6/BOX.**



GTFLH-003                      Manufacture # FLH-003(6)                      \$114.95 / Box or 6 or More \$92.15 per Box

Some objects, plants or spots in your garden need only a little light to turn them into attractive features. A row of small integrated fixtures such as the FLH-003 gives a carefully tended, luxurious appearance. These stainless steel micro-lites have a diameter of 40 mm / 1.5 inches and are obtainable in packs of 6. Material High-quality plastic housing, stainless steel covering plate    Dimensions Diameter 22/40 mm / 0.9/1.6 inches, overall height 45 mm / 1.8 inches    In packs of 6


**12V/0.5W LED DIAMETER Ø 22MM (± 7/8") INCL. STAINLESS STEEL RING Ø40MM (± 1 4/7") WARM WHITE**



GTDB-LED RVS 40                      Manufacture # DB-LED RVS 40                      \$40.38 / Each or 6 or More \$34.20 per Each

The bright spot for every garden, terrace or patio. Gives a striking touch of 'Warm White' LED light that is also visible during the day. Finished with a 40mm stainless steel ring. The fixture is subtle but effective and it is simple to flush mount in wood, concrete and different types of natural stone. Combines beautifully with all the other fixtures in the Solitary, Wall or Spot series, and goes particularly well with AMLS-11A LED. Material Impact-resistant polycarbonate filled with a special resin / stainless steel ring    Dimensions Diameter 40 mm / 1.6 inches, overall height 40 mm / 1.6 inches    Lamp LED, Warm White, 100,000 burning hours

**12V/0.5W LED DIAMETER Ø22MM (± 7/8") WARM WHITE - UPDATED**



GTDB-LEDWW                      Manufacture # DB-LEDA (WW)                      \$37.05 / Each or 6 or More \$29.45 per Each

The bright spot for every garden, terrace or patio. Gives a striking touch of 'Warm White' LED light that is also visible during the day. The fixture is subtle but seen and easy to install. Combines beautifully with all the other fixtures in the Solitary, Wall or Spot series, and goes particularly well with AMLS-11A LED. Material Impact-resistant polycarbonate filled with a special resin    Dimensions Diameter 22 mm / 0.9 inches, overall height 35 mm / 1.4 inches    Lamp LED, Warm White, 100,000 burning hours

**12V/0.5W LED DIAMETER Ø22MM (± 7/8") COOL WHITE**



GTPL2205-CW                      Manufacture # DB-LED (CW)                      \$37.05 / Each or 6 or More \$29.45 per Each

The bright spot for every garden, terrace or patio. Gives a striking accent of 'Cool White' LED light that is also visible during the day. The fixture is subtle but seen and easy to install. Combines beautifully with all the other fixtures in the Solitary, Wall or Spot series, and goes particularly well with AMLS-11A LED. Material Impact-resistant polycarbonate filled with a special resin    Dimensions Diameter 22 mm / 0.9 inches, overall height 35 mm / 1.4 inches    Lamp LED, Cool White, 100,000 burning hours

**12V/10W HALOGEN 100X100X75MM STAINLESS STEEL TOP PLATE**



GTFLH-001                      Manufacture # FLH-001                      \$56.05 / Each or 6 or More \$46.55 per Each

Integrated FLH-001 fits in every setting, from an architectural to an organic environment. This fixture is supplied with two different lenses; clear and matt. Use these to create either a clear or a warm light. Playful lighting patterns can be achieved at different levels by combining Integrated fixtures with Solitary fixtures. Material Aluminium housing, stainless steel covering plate    Dimensions 100x100 mm / 4x4 inches, overall height 80 mm / 3.2 inches    Light reach ± 16 feet, beam of light

**12V/10W HALOGEN DIAMETER Ø 60MM (± 2 3/8") WITH STAINLESS STEEL RING Ø100MM (± 3 9/10")**



GTFLH-004                      Manufacture # FLH-004                      \$56.05 / Each or 6 or More \$46.55 per Each

Integrated fixtures such as the FLH-004 give individual elements a special accent. An umbrella-shaped plane tree or a group of pots, for example, is very attractive when lit up by this stainless steel fixture with a Halogen lamp. Supplied with two different lenses; clear and frosted. For both a clear and a warm light. Material Aluminium housing / stainless steel covering plate    Dimensions Diameter 60/100 mm / 2.4/4 inches, overall height 95 mm / 3.7 inches    Light reach ± 10 -16 feet, spread light

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Integrated**



**12V/1W LED DIAMETER Ø60MM (± 2 3/8") FINISHED WITH FROSTED LENS FOR WARM WHITE GLOW**

GTFUSION60      Manufacture # FUSION 60      \$94.05 / Each or 6 or More \$84.55 per Each



**12V/1W LED FISH EYE 100X100X60MM STAINLESS STEEL TOP PLATE WARM WHITE**

GTFE100WW      Manufacture # Fish Eye 100x100      \$90.25 / Each or 6 or More \$76.48 per Each

The need for light in a garden varies according to the season. The Integrated version of the Fish Eye with its 360 degrees rotatable lens is the response to this need. The Fish Eye 100x100 is suitable for illuminating plants or for marking a pathway, patio, pond edging, drive, etc. The fixture is finished with a stainless steel cover. The principle of the rotating Fish Eye lens is used in the Solitary, Wall and Integrated models. An extensive range for a detailed lighting plan. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 100x100 mm / 4x4 inches, overall height 60 mm / 2.4 inches Light reach ± 2 metres / 7 feet, spread light Lamp LED, Warm White, 50,000 burning hours



**12V/2W LED 100X100X70MM STAINLESS STEEL TOP PLATE COOL WHITE**

GTFLLH-LED 009CW      Manufacture # FLH-LED009 (CW)      \$77.90 / Each or 6 or More \$65.55 per Each

The Integrated LED series can be flush mounted into the base material in many ways, whether this material consists of gravel, concrete, natural stone or wood. We supply two sizes that correspond with the formats of bricks and tiles. Diamond-like light in 'Cool White' or 'Warm White' for illuminating plants or for marking a path, pond edging, drive, patio, etc. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 100x100 mm / 4x4 inches, overall height 72 mm / 2.8 inches Light reach ± 3 metres / 10 feet, spread light Lamp LED Cool White, 100,000 burning hours



**12V/2W LED 100X100X70MM STAINLESS STEEL TOP PLATE WARM WHITE**

GTFLLH-LED 008WW      Manufacture # FLH-LED008 (WW)      \$77.90 / Each or 6 or More \$65.55 per Each

The Integrated LED series can be flush mounted into the base material in many ways, whether this material consists of gravel, concrete, natural stone or wood. We supply two sizes that correspond with the formats of bricks and tiles. Diamond-like light in 'Cool White' or 'Warm White' for illuminating plants or for marking a path, pond edging, drive, patio, etc. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 100x100 mm / 4x4 inches, overall height 72 mm / 2.8 inches Light reach ± 3 metres / 10 feet, spread light Lamp LED Warm White, 100,000 burning hours



**12V/2W LED 150X150X70MM STAINLESS STEEL TOP PLATE COOL WHITE**

GTFLLH-LED015CW      Manufacture # FLH-LED015 (CW)      \$114.00 / Each or 6 or More \$90.25 per Each

The Integrated LED series can be flush mounted into the base material in many ways, whether this material consists of gravel, concrete, natural stone or wood. We supply two sizes that correspond with the formats of bricks and tiles. Diamond-like light in 'Cool White' or 'Warm White' for illuminating plants or for marking a path, pond edging, drive, patio, etc. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 150x150 mm / 6x6 inches, overall height 72 mm / 2.8 inches Light reach ± 3 metres / 10 feet, spread light Lamp LED, Cool White, 100,000 burning hours



**12V/2W LED 150X150X70MM STAINLESS STEEL TOP PLATE WARM WHITE**

GTFLLH-LED014WW      Manufacture # FLH-LED014 (WW)      \$114.00 / Each or 6 or More \$90.25 per Each

The Integrated LED series can be flush mounted into the base material in many ways, whether this material consists of gravel, concrete, natural stone or wood. We supply two sizes that correspond with the formats of bricks and tiles. Diamond-like light in 'Cool White' or 'Warm White' for illuminating plants or for marking a path, pond edging, drive, patio, etc. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 150x150 mm / 6x6 inches, overall height 72 mm / 2.8 inches Light reach ± 3 metres / 10 feet, spread light Lamp LED, Warm White, 100,000 burning hour

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Integrated**

**12V/2W LED DIAMETER Ø60MM (± 2 3/8") INCL. STAINLESS STEEL RING Ø80MM COOL WHITE**



GTFLH-LED 011WW      Manufacture # FLH-LED011 (CW)      \$80.75 / Each or 6 or More \$68.40 per Each

This LED spreads a 'Cool White' light in a very pleasant manner, just like the previous fixture in the Integrated series. Because the LEDs are cast, a diffuse atmospheric light is created which is particularly effective in an architectural setting and in combination with natural stone and wood. With the aid of various rings, the fixture can be built in (stainless steel ring ø60 mm / ø2.4 inches) or surface mounted (stainless steel ring ø80 mm / ø3.2 inches). Material Impact-resistant polycarbonate filled with a special resin / stainless steel ring Dimensions Diameter 60 mm / 2.4 inches, optional ring 80 mm / 3.2 inches, overall height 40 mm / 1.6 inches Light reach ± 3 metres / 10 feet, spread light Lamp LED, Cool White, 100,000 burning hours The Fixation Set ø60 mm / ø2.4 inches is available separately.

**12V/4W GLO-LITE DIAMETER Ø60MM (± 2 3/8") 4 PCS / BOX**



GTGLOLITE60      Manufacture # GLO-lite 60      \$79.80 / Box or 6 or More \$66.50 per Box

The Glo-lite 60 is based on the principle of the original Glo-lite and is supplied with lenses in two different colours; white and natural. With a diameter of 60 mm / 2.4 inches this fixture fits in very well with large sized paving in particular and gives a feeling of warmth. The character of the Glo-lite 60 is such that it combines extremely well with the stylish above-ground lighting and the wall lighting of the CLASSIQ line for example. Bring your garden to life! Material Polycarbonate Colour white/natural Dimensions Diameter 60mm / 2.4 inches, overall height 40 mm / 1.6 inches The Fixation Set ø60 mm / ø2.4 inches is available separately.

**12V/5W LED (HIGH POWER) FISH EYE 150X150X70MM STAINLESS STEEL TOP PLATE WARM WHITE**



GTFE150WWHP      Manufacture # Fish Eye 150x150      \$147.25 / Each or 6 or More \$124.93 per Each

The Fish Eye 150x150 is fitted with the powerful LED Engine lamp. This has a greater power than lamps with conventional LEDs and is therefore suitable for illuminating large bushes, trees, umbrella-shaped plane trees and statues. This This fixture, which is finished with a stainless steel cover, can also be used for marking a pathway, patio, pond edging, drive, etc. The principle of the 360 degrees rotating Fish Eye lens is used in the Solitary, Wall and Integrated models. An extensive range for a detailed lighting plan. Material Impact-resistant polycarbonate filled with a special resin / stainless steel covering plate Dimensions 150x150 mm / 6x6 inches, overall height 70 mm / 2.8 inches Lamp LED Engine, Warm White, 25,000 burning hours Light reach ± 5 metres / 16 feet, spread light

**12V/5W LED (HIGH POWER) FISH EYE DIAMETER Ø100MM (± 4") WITH STAINLESS STEEL TOP PLATE WARM WHITE**



GTGESWWW      Manufacture # 12V/5W LED (High)      \$147.25 / Each or 6 or More \$124.93 per Each

The circular Integrated version of the Fish Eye is fitted with the powerful LED Engine lamp. This has a greater power than fixtures with conventional LEDs. This makes the Fish Eye 100 particularly suitable for illuminating large bushes, trees, umbrella-shaped plane trees and statues. The large size of this fixture, finished with a stainless steel ring, enables it to fit in well in large sized paving. Material Impact-resistant polycarbonate filled with a special resin, stainless steel covering plate Dimensions Diameter 100/130 mm / 4/5 inches overall height 73 mm / 2.8 inches Lamp LED Engine, Warm White, 25,000 burning hours Light reach ± 5 metres / 16 feet, spread light

**IN-LITE (BOX OF TEN) - BUFF LENS**



GTBOX10BF      Manufacture #      \$119.70 / Box or 3 or More \$82.65 per Box

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, salmon and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches In packs of 10. Lens remover is supplied.

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Integrated**

**IN-LITE (BOX OF TEN) - NATURAL LENS**



GTBOX10NL                      Manufacture #                      \$119.70 / Box or 3 or More \$82.65 per Box

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, salmon and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches In packs of 10. Lens remover is supplied.

**IN-LITE (BOX OF TEN) - WHITE LENS**



GTBOX10                      Manufacture #                      \$119.70 / Box or 3 or More \$82.65 per Box

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, salmon and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches In packs of 10. Lens remover is supplied.

**IN-LITE BEAM LIGHT SINGLE BUFF LENS**



GTSINBL                      Manufacture #                      \$11.97 / Each or 30 or More \$8.27 per Each

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, buff and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches

**IN-LITE BEAM LIGHT SINGLE NATURAL LENS**



GTSINNL                      Manufacture #                      \$11.97 / Each or 30 or More \$8.27 per Each

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, buff and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches

**IN-LITE BEAM LIGHT SINGLE WHITE LENS**



GTSINWL                      Manufacture #                      \$11.97 / Each or 30 or More \$8.27 per Each

These flush-mounted light points are ultra strong and very suitable for use as integrated lighting for paths where there is a lot of traffic, pedestrian or otherwise. The lens can, furthermore, be removed and adjusted to suit the colour of the background. Combining the orienting feature of Glo-lites with an above-ground lighting system such as the AMLS-11A creates a pleasant atmosphere. Glo-lites are easy to mount in wood, various types of concrete products and natural stone. Material High-quality plastic. Colour Available in the colours white, buff and natural. Dimensions Diameter 22/77 mm / 0.9/3 inches, overall height 16 mm / 0.6 inches

**INTEGRATED 12V/50W HALOGEN DIAMETER Ø150MM BLACK COATED ALUMINIUM**



GTFORZA                      Manufacture # FORZA                      \$99.75 / EACH or 6 or More \$88.00 per EACH

Robust round fixture in charcoal grey coated aluminium. With tilting fitting to direct the light beam. Note! 35 or 50 Watt halogen lamps must be ordered separately. Specifications Dimensions Ø 137 mm (5.4 inches), ring Ø 170 mm (6.7 inches), recess depth 130 mm (5.1 inches) Material Aluminium housing / glass lens Colour Charcoal grey Power 12 V / 35-50 W (lightsource available separately) Light reach 10 metres (32.8 feet) at 35 W. 8 metres (26.2 feet) at 50 W Use Integrated accent lighting for special features in the garden such as trees, shrubs, statues and exterior walls. Installation This fixture can be dug in or may be built-in. The supplied feet can be used for mounting on a hard surface. If built-in, the fixture may be fastened with three screws.

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Integrated**



**INTEGRATED 12V/5W LED CHARCOAL COATED ALUMINIUM (OUTPUT COMPARABLE TO 35W HALOGEN)**

GTNERO                                      Manufacture # NERO                                      \$114.00 / EACH or 6 or More \$99.00 per EACH  
 NERO (LED 5W-Warm White) \* This fixture is charcoal coated aluminum. The output is comparable to 35W halogen. Designed for lighting trees and other special objects.



**STELLAR - 12V/2W LED DIAMETER Ø60MM (± 2 3/8") WARM WHITE**

GTSTELLARWARM                                      Manufacture # STELLAR WARM                                      \$80.75 / Each or 6 or More \$68.40 per Each  
 The LED lighting in this Integrated series spreads the light attractively. These LEDs give a 'Warm White' light, which enables combinations with other materials, for example, fired bricks and cobbles, but they can also be used in lawns and borders. Dimensions Ø 60 mm (2.4 inches), recess depth 46 mm (1.8 inches) Material Impact-resistant polycarbonate filled with a 2-component resin, stainless steel ring. Colour Silver stainless steel Power 12 V / 2 W Light reach 1.5 metres (4.9 feet) Lifetime (hours) Approx. 50,000 Use Integrated lighting suitable for highlighting paths, drives, patios, pond edges etc. Installation Easy to incorporate into concrete, natural stone (diamond drill) and wood (wood drill). For incorporating in wood we advise mounting using the FIXATION SET Ø60, RING 80 or PLATE 75.

**In-Lite Solitaire**



**12V/10W HALOGEN HEIGHT 840MM CHARCOAL / WHITE ALUMINIUM**

GTCLASSIQ                                      Manufacture # CLASSIQ                                      \$84.55 / Each or 6 or More \$74.10 per Each  
 The CLASSIQ is a luxurious classical lamp with modern attributes. The stylish dark grey aluminium, the curves of the plastic and distinctive little roof give this fixture character. The CLASSIQ is fitted with a 10 Watt lamp. This way the lamp gives enough light but remains atmospheric. Material Aluminium housing, high-quality plastic lens Colour Dark Charcoal (dark grey) Dimensions Height 830 mm / 32.7 inches



**12V/1W LED DIAMETER Ø40MM, HEIGHT 600MM WARM WHITE**

GTLED270-1WW                                      Manufacture # LED 270-1 (WW)                                      \$132.05 / Each or 6 or More \$113.05 per Each  
 An attractive light object that not only creates a special spot in the garden or on the patio but also has a functional 270 degrees rotating head. As a result, the light can be turned in the required direction without having to move the fixture. It can be mounted on either hard or soft surfaces. Material Impact-resistant polycarbonate filled with a special resin, stainless steel housing Dimensions Diameter 40 mm / 1.6 inches, height 600 mm / 23.5 inches Lamp LED, Warm White, 100,000 burning hours



**12V/20W HALOGEN DIAMETER Ø 67MM, HEIGHT 430MM DARK CHARCOAL COATED ALUMINIUM**

GTAML-11A                                      Manufacture # AML-11A                                      \$49.40 / Each or 6 or More \$43.50 per Each  
 Stylish dark grey fixture that should be noticed. Standard with Halogen lamp; energy saving LED Top with 'Warm White' light is available separately. The AML-11A combines perfectly with the AML-11A High and AML-11A Wall. Material Aluminium housing / high-quality plastic lens Colour Dark Charcoal (dark grey) Dimensions Diameter 67 mm / 2.6 inches, height 430 mm / 17 inches



**12V/20W HALOGEN DIAMETER Ø 67MM, HEIGHT 750MM DARK CHARCOAL COATED ALUMINIUM**

GTAML-11AH                                      Manufacture # AML-11A High                                      \$68.40 / Each or 6 or More \$58.43 per Each  
 Identical to the AMLS-11A except for the fact that it is 750 mm / 29.5 inches in height. Stylish fixture, standard with Halogen-Top. Can be used with AML-LED TOP with 'Warm White' LED lighting (available separately). Material Aluminium housing, high-quality plastic lens Colour Dark Charcoal (dark grey) Dimensions Diameter 67 mm / 2.6 inches, height 750 mm / 29.5 inches

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Solitaire**



**12V/20W HALOGEN DIAMETER Ø 67MM, HEIGHT 750MM SILVER BRUSHED ALUMINIUM**

GTAMLS-11A (H)      Manufacture # AMLS-11A High      \$68.40 / Each or 6 or More \$58.43 per Each


Identical to the AMLS-11A except for the fact that it is 750 mm / 29.5 inches in height. Stylish fixture that should be noticed. Manufactured from brushed aluminium with a high-quality plastic lens. Standard with Halogen TOP. Can be used with AMLS-LED TOP (available separately). It is mounted using a stake in a soft surface or screws on a hard surface. Material Aluminium housing / high-quality plastic lens    Colour Silver, brushed aluminium    Dimensions Diameter 67 mm / 2.6 inches, height 750 mm / 29.5 inches



**12V/3W LED DIAMETER Ø40MM, HEIGHT 700MM WARM WHITE (3 FIXTURES IN 1)**

GTLED270-3WW      Manufacture # LED 270-3 (WW)      \$284.05 / Each or 6 or More \$236.55 per Each

This fixture is based on the Solitary LED 270-1 principle and consists of 3 housings, each with a 270 degrees rotating head. The result is a maximum light reach of up to 360 degrees, to be adjusted as you wish, A fixture that attracts attention and creates an air of exclusiveness. Material Impact-resistant polycarbonate filled with a special resin, stainless steel housing    Dimensions Diameter 40/100 mm / 1.5/4 inches, height 700 mm / 27.5 inches    Lamp LED, Warm White, 100,000 burning hours



**12V/3W LED TOP DARK CHARCOAL COOL WHITE**

GTAML-LEDTOPCW      Manufacture # AML-LED TOP CW      \$94.05 / Each or 6 or More \$89.00 per Each

This separately obtainable top with sparkling LED lamp gives the fixtures in the AML-11A range an air of exclusivity and in addition uses very little power. The AML-LED TOP with a 'Cool White' LED lamp can be used in combination with the fixtures AML-11A, AML-11A HIGH and AML-11A WALL. Material Aluminium / plastic housing filled with a special resin    Colour Dark Charcoal (dark grey)    Lamp LED, COOL White, 100,000 burning hours



**12V/3W LED TOP DARK CHARCOAL WARM WHITE**

GTAMLS-LEDTOPB      Manufacture # AML-LED Top      \$94.05 / Each or 6 or More \$89.00 per Each

This separately obtainable top with sparkling LED lamp gives the fixtures in the AML-11A range an air of exclusivity and in addition uses very little power. The AML-LED TOP with a 'Warm White' LED lamp can be used in combination with the fixtures AML-11A, AML-11A HIGH and AML-11A WALL. Material Aluminium / plastic housing filled with a special resin    Colour Dark Charcoal (dark grey)    Lamp LED, Warm White, 100,000 burning hours



**12V/3W LED TOP SILVER COOL WHITE**

GTAMLS-LEDTOPCW      Manufacture # AML-LED Top      \$94.05 / Each or 6 or More \$89.00 per Each

This separately obtainable top with sparkling LED lamp gives the fixtures in the AMLS-11A range an air of exclusivity and in addition uses very little power. The AMLS-LED TOP can be used in combination with the fixtures AMLS-11A, AMLS-11A HIGH and AMLS-11A WALL. Material Aluminium / plastic housing filled with a special resin    Colour Silver, brushed aluminium    Lamp LED, Cool White, 100,000 burning hours



**12V/3W LED TOP SILVER WARM WHITE**

GTAMLSS-LEDTOPB      Manufacture # AML-LED Top      \$94.05 / Each or 6 or More \$89.00 per Each

This separately obtainable top with sparkling LED lamp gives the fixtures in the AMLS-11A range an air of exclusivity and in addition uses very little power. The AMLS-LED TOP can be used in combination with the fixtures AMLS-11A, AMLS-11A HIGH and AMLS-11A WALL. Material Aluminium / plastic housing filled with a special resin    Colour Silver, brushed aluminium    Lamp LED, Warm White, 100,000 burning hours

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Solitaire**



**12V/5W (HIGH POWER) FISH EYE LED DIAMETER Ø 100MM, HEIGHT 650MM WARM WHITE**

GTFESHWWHP      Manufacture # Fish Eye High 5W      \$322.05 / Each or 6 or More \$274.55 per Each

This tall Fish Eye model in the Solitary series is also equipped with the characteristic 360 degrees rotating convex lens with the powerful LED Engine. The LED Engine is a powerful lamp with the latest LED technology for an evenly distributed output of 'Warm White' light. Using the rotating lens you can respond to the changing light requirements of the seasons. Can be used with or without top reflector. An extensive range for a detailed lighting plan. Material Impact-resistant polycarbonate filled with a special resin, stainless steel housing Dimensions Diameter 100 mm / 4 inches, height 650 mm / 25.6 inches Lamp LED Engine, Warm White, 25,000 burning hours Light reach ± 5 metres / 16 feet, spread light (without top reflector) Also available: Integrated - Fish Eye 100x100/150x150 mm / 4x4/6x6 inches Solitary - Fish Eye Low Wall - Fish Eye Wall



**12V/5W (HIGH POWER) LED DIAMETER Ø 100MM, HEIGHT 340MM WARM WHITE**

GTFESLWWHP      Manufacture # Fish Eye Low 5W      \$255.55 / Each or 6 or More \$229.00 per Each

The Fish Eye is a special fixture. The convex lens can be turned through 360 degrees and is fitted with an LED Engine lamp. This is a powerful source of 'Warm White' light. The principle of the rotating Fish Eye lens is used in the Solitary, Wall and Integrated models. Using the rotating lens you can respond to the changing light requirements of the seasons. Can be used with or without top reflector. An extensive range for a detailed lighting plan. Material Impact-resistant polycarbonate filled with a special resin, stainless steel housing Dimensions Diameter 100 mm / 4 inches, height 340 mm / 13.7 inches Lamp LED Engine, Warm White, 25,000 burning hours Light reach ± 5 metres / 16 feet, spread light (without top reflector) Also available: Integrated - Fish Eye 100x100/150x150 mm / 4x4/6x6 inches Solitary - Fish Eye High Wall - Fish Eye Wall

**In-Lite Wall**



**CLASSIQ WALL 100 - 240V/10W - HALOGEN ALUMINIUM CHARCOAL / WHITE**

GTCLASSIQWALL100-2      Manufacture # CLASSIQ WALL 1      \$94.05 / Each or 6 or More \$79.00 per Each

As the names states, the CLASSIQ Wall is for installing on a wall. This wall fixture is not only a useful aid to finding keys and locks, it is also intended for creating extra ambience both in the evening and during the day. The wall fixture is extremely suitable for symmetric installation, for example on both sides of patio doors. Material Aluminium / high-quality plastic Colour Dark Charcoal (dark grey) Dimensions Height 370 mm / 14.5 inches



**CLASSIQ WALL 12V/10W - HALOGEN ALUMINIUM CHARCOAL / WHITE**

GTCLASSIQWALL12V      Manufacture # CLASSIQ WALL 1      \$94.05 / Each or 6 or More \$79.00 per Each

As the names states, the CLASSIQ Wall is for installing on a wall. This wall fixture is not only a useful aid to finding keys and locks, it is also intended for creating extra ambience both in the evening and during the day. The wall fixture is extremely suitable for symmetric installation, for example on both sides of patio doors. Also available in 100-240 Volt models for connecting directly to the mains. Material Aluminium / high-quality plastic Colour Dark Charcoal (dark grey) Dimensions Height 370 mm / 14.5 inches



**WALL 100-120V/10W - HALOGEN ALU. LAMP DARK CHARCOAL WALLMOUNT**

GTAML-11AW100      Manufacture # AML-11A WALL 10      \$94.05 / Each or 6 or More \$81.70 per Each

A stylish housing of dark charcoal coated aluminium is the basis of this wall fixture. The high-quality plastic lens top with Halogen lighting can be unscrewed and replaced by the lens top with 'Warm White' LED lighting. Combines well with the AML-11A above-ground lighting. Material Aluminium housing, high-quality plastic lens Colour Dark Charcoal (dark grey) Dimensions Diameter 67 mm / 2.6 inches, height 325 mm / 12.8 inches

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Wall**



**WALL 100-120V/10W - HALOGEN ALU. LAMP SILVER WALLMOUNT**

GTAMLS-11AW100      Manufacture # AMLS-11A WALL 1      \$94.05 / Each or 6 or More \$81.70 per Each

A stylish housing of brushed aluminium forms the basis for this wall fixture. The high-quality plastic lens top with Halogen lighting can be unscrewed and replaced by the lens top with 'Warm White' LED lighting. 100-240 Volt models for connecting directly to the mains. Combines well with the AMLS-11A above-ground lighting.



**WALL 12V/0.5W LED ALU. ROSE SILVER WARM WHITE**

GTCUBID      Manufacture # CUBID      \$46.55 / Each or 6 or More \$41.00 per Each

CUBID (LED 0.5W - Warm White) Small square fixture (2x2 inch) in Rose Silver coated aluminium, which can be easily placed and used in many application, such as stairs, decks, risers, fences etc



**WALL 12V/10W - HALOGEN ALU. LAMP DARK CHARCOAL WALLMOUNT**

GTAML-11AW12      Manufacture # AML-11A WALL 12      \$94.05 / Each or 6 or More \$81.70 per Each

A stylish housing of dark charcoal coated aluminium is the basis of this wall fixture. The high-quality plastic lens top with Halogen lighting can be unscrewed and replaced by the lens top with 'Warm White' LED lighting. Also available in 100-240 Volt models for connecting directly to the mains. Combines well with the AML-11A above-ground lighting. Material Aluminium housing, high-quality plastic lens Colour Dark Charcoal (dark grey) Dimensions Diameter 67 mm / 2.6 inches, height 325 mm / 12.8 inches



**WALL 12V/10W - HALOGEN ALU. LAMP SILVER WALLMOUNT**

GTAMLS-11AW12      Manufacture # AMLS-11A WALL 1      \$94.05 / Each or 6 or More \$81.70 per Each

A stylish housing of brushed aluminium forms the basis for this wall fixture. The high-quality plastic lens top with Halogen lighting can be unscrewed and replaced by the lens top with 'Warm White' LED lighting. Also available in 100-240 Volt models for connecting directly to the mains. Combines well with the AMLS-11A above-ground lighting.



**WALL 12V/10W DIAMETER Ø100MM, BLACK COATED ALUMINIUM**

GTLT8      Manufacture # AWL-3      \$28.50 / Each or 6 or More \$23.75 per Each

Convex black aluminium wall fitting that can be used in various ways: with the light pointing upwards, downwards or sideways. Works well as an orientation light by steps, a sunken sitting area or fence. The semi-screening prevents one from becoming blinded. Material Aluminium housing, high quality plastic lens Colour Black brushed aluminium Dimensions Diameter 100 mm



**WALL 12V/10W DIAMETER Ø100MM, SILVER BRUSHED ALUMINIUM**

GTAWLS-3      Manufacture # AWLS-3      \$28.50 / Each or 6 or More \$23.75 per Each

Convex black aluminium wall fitting that can be used in various ways: with the light pointing upwards, downwards or sideways. Works well as an orientation light by steps, a sunken sitting area or fence. The semi-screening prevents one from becoming blinded. Diameter 100 mm.



**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Wall**



**WALL 12V/2W LED ALU. ROSE SILVER WARM WHITE**

GTBLINK                      Manufacture # BLINK                      \$65.55 / Each or 6 or More \$56.05 per Each  
BLINK (LED 1.5W - Warm White) This wall fixture, in Rose Silver aluminum, comes with both a transparent as well as a frosted lens in the packaging, in order to choose between a focused or more diffuse light.

**WALL 12V/5W LED (HIGH POWER) FISH EYE STAINLESS STEEL WALLMOUNT WARM WHITE**



GTFESWWHP                      Manufacture # Fish Eye WALL 5                      \$160.55 / Each or 6 or More \$139.00 per Each  
This fixture in the Fish Eye range is fitted with an LED Engine lamp. The Fish Eye Wall stainless steel fixture can be used in a great many different ways. Upright or hanging with the lens pointing downwards or upwards. As a floodlight for example on decking or a jetty or fixed to a wall or ceiling. The lens can be rotated 360 degrees and increases the reach considerably. It has a 5 Watt transformer (available separately) and is also suitable for connecting directly to the mains. Material Impact-resistant polycarbonate filled with a special resin, stainless steel housing Dimensions 100x160 mm / 4x6.3 inches, height 85 mm / 3.4 inches Lamp LED Engine, Warm White, 25,000 burning hours Light reach ± 5 metres / 16 feet, spread light

**In-Lite Spot**



**SPOT 12V/3W LED DIAMETER 2.44", CHARCOAL COATED ALUMINIUM, BEAM SPREAD 26°, LIGHTCOLOR 3000 KELVIN**

GTSCOPE                      Manufacture # SCOPE                      \$84.55 / Each or 6 or More \$75.05 per Each  
Spot 12V/3W LED Diameter 2.44", Charcoal coated aluminium, beam spread 26°, lightcolor 3000 Kelvin (output comparable to 20W Halogen) Spotlight in charcoal grey coated aluminium finished with a stylish anodised aluminium ring. Provides an atmospheric beam of light. Ground stake included, base plate available separately. Dimensions Ø 62 mm (2.4 inches) Material Aluminium housing / glass lens Colour Charcoal grey Power 12 V / 4,5 W Light reach 5 metres (16.4 feet) Lifetime (hours) Approx. 50,000 Use Accent lighting for special features in the garden such as trees, shrubs, statues and exterior walls. Installation Mounting in soft surfaces with supplied ground stake or on hard surface with the separately-available base plate.



**SPOT 12V/20W HALOGEN DIAMETER Ø44 X Ø87MM, SILVER BRUSHED ALUMINIUM**

GTASLS-1A                      Manufacture # ASLS-1A                      \$37.05 / Each or 6 or More \$30.88 per Each  
This silver brushed aluminium Halogen spotlight gives a spread light with a reach of 6 to 8 m. The diameter of the lens top is ø89 mm. Material Aluminium housing/ glass lens Colour Silver, brushed aluminium Dimensions Diameter ø44mm, ø89mm Light range 6-8 meter, spread light



**SPOT 12V/20W HALOGEN DIAMETER Ø55MM, BLACK COATED ALUMINIUM**

GTBHF-1                      Manufacture # BHF-1                      \$37.05 / Each or 6 or More \$30.88 per Each  
This Halogen spotlight of black coated aluminium gives a light beam with a reach of up to 10m. It is ø62 mm in diameter. Material Aluminium housing / glass lens Colour Black coated aluminium Dimensions Diameter ø62 mm Light range approx. 10m,



**SPOT 12V/20W HALOGEN DIAMETER Ø55MM, SILVER BRUSHED ALUMINIUM**

GTBHS-1                      Manufacture # 1300545                      \$37.05 / Each or 6 or More \$30.88 per Each  
This fixture is made from silver brushed aluminium and has a Halogen lamp. The BHS-1 gives a light beam with a reach of up to 10 m. It is ø62 mm in diameter. Material Aluminium housing / glass lens Colour Silver brushed aluminium Dimensions Diameter ø62 mm Light range approx. 10mtr,

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Spot**



**SPOT 12V/4.5W LED DIAMETER 3.1", CHARCOAL COATED ALUMIUM, SUBMERSIBLE (IP-68 RATED WATERPRESSURETIGH**

GTSUB                                      Manufacture # SUB                                      \$132.05 / Each or 6 or More \$129.00 per Each

Underwater spot in dark gray coated aluminum. Provides an attractive spread light. Includes ballast. Also above water. SPECIFICATIONS Size Ø 81 mm, base 165 x 130 mm Material High-quality aluminum housing, glass lens Color Charcoal Power 12V / 4.5 W Light range 3 meters Burning time Ca. 50,000 Application Accent lighting for underwater illumination of ponds, fountains and other water features in the garden. Processing Placement on soft or hard surfaces. Contains an extra long connecting cable (about 5 feet) for the placement of the mini-connector out of the water.



**SPOT 12V/50W HALOGEN DIAMETER Ø112MM, BLACK COATED ALUMINIUM**

GTASL-3                                      Manufacture # ASL-3                                      \$94.05 / Each or 6 or More \$80.75 per Each

This fixture of black coated aluminium with Halogen lamp gives a spread light with a reach of up to 15m. It is ø118 mm in diameter. Material Aluminium housing / glass lens Colour Black coated aluminium Dimensions Shaft diameter ø118 mm Light range approx. 15 mtr, spread light



**SPOT 12V/7W LED DIAMETER 3", CHARCOAL COATED ALUMINIUM, BEAM SPREAD 55°, LIGHTCOLOR 3000 KELVIN**

GTBIGSCOPE                                      Manufacture # BIG SCOPE                                      \$132.05 / Each or 6 or More \$129.00 per Each

Spot in dark gray coated aluminum finished with an elegant anodized aluminum ring. Gives a light spread. Ground stakes included, base plate separately. SPECIFICATIONS Size Ø 65 mm Material Aluminum housing, glass lens Color Charcoal Power 12V/7W Light range 5 meters Burning time Ca. 25,000 Application Accent lighting to highlight special places in the garden such as trees, shrubs, statues and facades. Processing Placement in soft ground with included ground spike and rigid substrate with the optional base.

**Transformers & Cables**



**10/2 CABLE - MAXIMUM RUN 300 FT**

GT10/2                                      Manufacture # CBL-160 10/2                                      \$3.20 / LnM or 160 or More \$2.95 per LnM

Twin-core, low-voltage cable with a maximum load of 250 Watts. SPECIFICATIONS Use Suitable for all in-lite transformers. Installation Roll out from the transformer. Can be incorporated immediately under the paving or under a layer of soil. Cable length: linear up to 80 meters (525 feet), split to 80 meters (525 feet). Note! When using fixtures from 35 Watts, always choose a 10/2 cable.

**12/2 CABLE - MAXIMUM RUN 200 FT**

GT12/2                                      Manufacture # CBL-200 12/2                                      \$2.15 / LnM or 200 or More \$1.85 per LnM



**14/2 CABLE - MAXIMUM RUN 150 FT**

GT14/2                                      Manufacture # CBL-200 14/2                                      \$1.85 / LnM or 200 or More \$1.60 per LnM

CBL-200 14/2 Twin-core, low-voltage cable with a maximum load of 250 Watts. SPECIFICATIONS Use Suitable for all in-lite transformers. Installation Roll out from the transformer. Can be incorporated immediately under the paving or under a layer of soil. Cable length: linear up to 40 meters (131 feet), split to 40 meters (131 feet). Note! When using fixtures from 35 Watts, always choose a 10/2 cable.

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**Transformers & Cables**

**CABLE 14/2 - 40 MTR (±131 FEET) FULL BUNDLE ONLY**

GT14/240                      Manufacture # CBL-40 14/2                      \$110.00 / Each or 4 or More \$100.00 per Each

Twin-core, low-voltage cable with a maximum load of 250 Watts. This light duty cable is sold as a bundle of 40 (131 feet) meters complete with cable lugs and end insulation. SPECIFICATIONS Use Suitable for all in-lite transformers. Installation Roll out from the transformer. Can be incorporated immediately under the paving or under a layer of soil. Cable length: linear up to 40 meters (131 feet), split to 40 meters (131 feet). Note! When using fixtures from 35 Watts, always choose a 10/2 cable.

**CABLE 18/2-1MTR (± 3,3 FEET) EXTENSION CABLE (NEW CONNECTION)**

GT18/2EXTN                      Manufacture # CBL-EXT cord (ne)                      \$6.00 / Each or 10 or More \$5.00 per Each



Extension cable 18/2 length 1 metres (3,3 feet). To increase the distance between the fixture and the low-voltage cable. Note! Depending on your fixture you should select the extension cable with the white flat mini-connector or the extension cable with the round black mini-connector (update). Specifications Use To increase the distance between the fixture and the low-voltage cable. Installation Introduce between the mini-connector of the fixture and the mini-connector of the Easy-Lock.

**CABLE 18/2-1MTR (± 3,3 FEET) EXTENTION CABLE**

GT18/2EXT                      Manufacture # CBL-EXT cord                      \$5.70 / Each or 10 or More \$5.00 per Each

**CABLE 18/2-3MTR (± 10 FEET) EXTENSION CABLE (NEW CONNECTION)**

GT18/2EXT3N                      Manufacture # CBL-EXT cord 3mt                      \$8.55 / Each or 10 or More \$7.50 per Each



Extension cable 18/2 length 3 metres (10 feet). To increase the distance between the fixture and the low-voltage cable. Note! Depending on your fixture you should select the extension cable with the white flat mini-connector or the extension cable with the round black mini-connector (update). Specifications Use To increase the distance between the fixture and the low-voltage cable. Installation Introduce between the mini-connector of the fixture and the mini-connector of the Easy-Lock.

**CABLE 18/2-3MTR (± 10 FEET) EXTENTION CABLE**

GT18/2EXT3                      Manufacture # CBL-EXT cord 3mt                      \$8.55 / Each or 10 or More \$7.50 per Each

**MINI TRANSFORMER 12V/5W (SUITABLE FOR MODELS FISH EYE WALL (WW) / LED 270-WALL (WW))**

GT5WMT                      Manufacture # Mini transformer                      \$26.13 / Each or 6 or More \$22.00 per Each



Mini-transformer enabling connection of a 12 Volt fixture (max. 5 Watts) to the household power supply. Suitable for FISH EYE WALL (WW).

**2012 IN-LITE LANDSCAPE LIGHTING**

**Transformers & Cables**

**TRANSFORMER 108WATT INCL. LIGHT SENSOR WITH TIMER**



GT108WNA                      Manufacture # Transformer 108W                      \$71.25 / Each or 6 or More \$64.51 per Each  
 108 Watt transformer with manual on/off, motion detector and timer features. Suitable for motion detector MD-01. Usable outdoors. SPECIFICATIONS Dimensions 185 x 125 x 85 mm (7.3 x 4.9 x 3.3 inches) Power 12 V / 108 W Installation Mount the transformer vertically, at least 50 centimetres (20 inches) above the ground and in the direct vicinity of a 100-240 Volt socket. Mounting material included.

**TRANSFORMER 250WATT INCL. LIGHT SENSOR WITH TIMER**



GT250WNA                      Manufacture # Transformer 250W                      \$145.00 / Each or 6 or More \$132.50 per Each  
 250 Watt transformer with manual on/off, motion detector and timer features. Suitable for motion detector MD-01. Usable outdoors. SPECIFICATIONS Dimensions 270 x 155 x 95 mm (10.6 x 6.1 x 3.7 inches) Power 12 V / 250 W Installation Mount the transformer vertically, at least 50 centimetres (20 inches) above the ground and in the direct vicinity of a 100-240 Volt socket. Mounting material included.

**TRANSFORMER 56WATT INCL. LIGHT SENSOR WITH TIMER**



GT56WNA                      Manufacture # Transformer 56W                      \$61.75 / Each or 6 or More \$55.00 per Each  
 56 Watt transformer with manual on/off, motion detector and timer features. Suitable for motion detector MD-01. Usable outdoors. SPECIFICATIONS Dimensions 185 x 125 x 85 mm (7.3 x 4.9 x 3.3 inches) Power 12 V / 56 W Installation Mount the transformer vertically, at least 50 centimetres (20 inches) above the ground and in the direct vicinity of a 100-240 Volt socket. Mounting material included.

**In-Lite Accessories**

**7/8" DRILL BIT**

GTDB7/8                      Manufacture #                      \$155.00 / Each or 2 or More \$128.25 per Each

**80 DEGREE BRACKET FOR BLINK**

GTBLINKB80                      Manufacture # FIX2                      \$7.13 / Each or 10 or More \$6.18 per Each

**90 DEGREE BRACKET FOR BLINK**

GTBLINKB90                      Manufacture # FIX1                      \$7.13 / Each or 10 or More \$6.18 per Each

**TAXES are Extra**

**Prices subject to change without notice.**

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Accessories**

**ACCESSORIES 350MM (± 1 FOOT) RISER FOR SCOPE**

GTRISER350                      Manufacture # RISER 350                      \$19.00 / Each or 6 or More \$16.50 per Each

\* A riser for different spots, such as the SCOPE. Using this riser, the spot can be fixated higher so it will rise above plants and bushes, in order to better light up an object.

**BLACK CABLE CONNECTOR**



GTCBLCON                      Manufacture # CC-2                      \$4.75 / Each or 10 or More \$3.56 per Each

Cables can be extended, split or connected into a ring mains using a cable connector.

**BUFF LENS REPLACEMENT - LENS ONLY**

GTLENB                      Manufacture #                      \$4.00 / Each or 10 or More \$3.75 per Each

**DECKBRACKET FOR SCOPE**

GTBASESCOPE                      Manufacture # Base SCOPE                      \$11.40 / Each or 6 or More \$9.03 per Each

**DECKBRACKET FOR SPOT BLACK**



GTLBR-4                      Manufacture # LBR-4                      \$11.40 / Each or 6 or More \$9.03 per Each

For mounting on a hard material, e.g. fences or decking. Mounting materials included. Model LBR-4 base plate black  
Application Various spotlights Colour Black coated aluminium

**DECKBRACKET FOR SPOT SILVER**



GTLBRS-4                      Manufacture # LBRS-4                      \$11.40 / Each or 6 or More \$9.03 per Each

For mounting on a hard material, e.g. fences or decking. Mounting materials included. Model LBRS-4 base plate silver  
Application Various spotlights Colour Silver brushed aluminium

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Accessories**



**DECKBRACKET SILVER**

GTLBRS-3                      Manufacture # LBR5-3                      \$11.40 / Each or 6 or More \$9.03 per Each  
 For mounting on a hard material, e.g. fences or decking. Mounting materials included. Model LBR5-3 base plate silver Application Various fittings Colour Silver brushed aluminium

**DIAMOND GRINDING SPINDLE 77MM (+- 3 1/8")**

GTDGS                      Manufacture #                      \$399.00 / Each or 2 or More \$310.00 per Each

**FIXATION SET FOR INSTALLATION IN WOOD FOR DIAMETER 100MM PRODUCTS**



GTFS100                      Manufacture # Fixation Set 60                      \$4.75 / Each or 10 or More \$3.80 per Each  
 Usage Suitable for attaching Glo-lite 100 to wood, plastic etc. Contents Fixing ring with bolt, nut and ring, fixing tape, wood screws

**FIXATION SET FOR INSTALLATION IN WOOD FOR DIAMETER 60MM PRODUCTS**



GTFS60                      Manufacture # Fixation Set 60                      \$3.80 / Each or 10 or More \$2.85 per Each  
 Suitable for attaching FLH-LED010, FLH-LED011 and Glo-lite 60 to wood, plastic etc. Contents Fixing ring with bolt, nut and ring, fixing tape, wood screws.

**GROUNDSTAKE FOR FISH EYE WALL**



GTFISHEYEGROUNDS                      Manufacture # Fish Eye Grounds                      \$9.50 / Each or 6 or More \$7.60 per Each  
 Stake for mounting FISH EYE WALL (WW) in soft ground. SPECIFICATIONS Colour Black Use Suitable for mounting FISH EYE WALL (WW) alongside a path, border, step or pond edge for example. Installation Simple to mount on the fixture.

**LANDSCAPE LIGHT BASE**

GTBASE                      Manufacture #                      \$4.00 / Each or 10 or More \$3.75 per Each

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Accessories**

**LENS REMOVER**

GTLLD                                      Manufacture #    Lensremover                                      \$3.80 / Each or 2 or More \$3.00 per Each

**MOTION DETECTOR FOR TRANSFORMERS 56W, 108W & 250W**



GTMD-01                                      Manufacture #    MD-01                                      \$33.25 / Each or 10 or More \$27.55 per Each  
 For use outside. Switches the lighting on as soon as anyone comes into the vicinity of the detector. Mounting materials included. Model MD-01 motion detector Various transformers Adjustable Time, motion sensitivity and daylight intensity Colour Black

**NATURAL LENS REPLACEMENT - LENS ONLY**

GTLENN                                      Manufacture #                                      \$4.00 / Each or 10 or More \$3.75 per Each

**REPLACEMENT LIGHTS 4 WATT**

GTLIGHT                                      Manufacture #                                      \$1.00 / Each or 10 or More \$0.89 per Each

**SPARE BULB 12V/ 3W 2 BULBS PER PK.**



GTLB-3                                      Manufacture #    LB-3                                      \$4.28 / Each or 10 or More \$3.33 per Each  
 Model LB-3 12 V/3 W 2/box

**SPARE BULB 12V/10W 2 BULBS PER PK.**



GTLB-10                                      Manufacture #    LB-10                                      \$5.46 / Each or 10 or More \$4.28 per Each  
 Model LB-10 12 V/10 W halogen 2/box

**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Accessories**



**SPARE BULB 12V/10W HALOGEN 1 BULB PER PK.**

GTMR1110W

Manufacture # MR-11 10W

\$5.46 / Each or 10 or More \$4.28 per Each

Model MR-11 12 V/10 W halogen 1/box



**SPARE BULB 12V/10W HALOGEN 2 BULBS PER PK**

GTMLB-10

Manufacture # MLB-10

\$5.46 / Each or 10 or More \$4.28 per Each

Model MLB-10 12 V/10 W halogen 2/box



**SPARE BULB 12V/12W 2 BULBS PER PK.**

GTLB-12

Manufacture # LB-12

\$4.28 / Each or 10 or More \$3.33 per Each

Model LB-12 12 V/12 W halogen 2/box



**SPARE BULB 12V/12W 2 BULBS PER PK. (LB-12B)**

GTLIGHT12

Manufacture # LB-12B

\$5.46 / Each or 10 or More \$4.28 per Each

Model LB-12 12 V/12 W 2/box



**SPARE BULB 12V/18W 2 BULBS PER PK.**

GTLB-18B

Manufacture # LB-18B

\$4.28 / Each or 10 or More \$4.28 per Each

Model LB-18B 12 V/18 W 2/box



**SPARE BULB 12V/20W HALOGEN 1 BULB PER PK.**

GTMR1120W

Manufacture # MR-11 20W

\$5.46 / Each or 10 or More \$4.28 per Each

Model MR-11 12 V/20 W halogen 1/box

**TAXES are Extra**

**Prices subject to change without notice.**



**2012 IN-LITE LANDSCAPE LIGHTING**

**In-Lite Accessories**



**SPARE BULB 12V/20W HALOGEN 2 BULBS PER PK.**

GTMLB-20                      Manufacture #    MLB-20                      \$5.46 / Each or 10 or More \$4.28 per Each  
 Model MLB-20 12 V/20 W halogen 2/box



**SPARE BULB 12V/35W HALOGEN 1 BULB PER PK.**

GTMR1635W                      Manufacture #    MR-16 35W                      \$6.89 / Each or 10 or More \$5.23 per Each  
 Model MR-16 12 V/35 W halogen 1/box



**SPARE BULB 12V/50W HALOGEN 1/BOX.**

GTLB-50                      Manufacture #    LB-50                      \$33.25 / Each or 2 or More \$26.13 per Each  
 Model LB-50 12 V/50 W halogen



**STAINLESS STEEL RING Ø80MM FOR STELLAR WARM**

GTSTELLARRING                      Manufacture #    STELLAR RING 80                      \$4.75 / Each or 10 or More \$3.80 per Each  
 Stainless steel ring Ø 80 mm (3.1 inches). Gives Integrated fixture STELLAR WARM. Dimensions Ø 80 mm (3.1 inches) Material Stainless steel Colour Silver stainless steel Use Suitable for STELLAR WARM in patio and decking for example. Installation Simple to mount on the fixture by turning three Torx bolts.

**WHITE LENS REPLACEMENT - LENS ONLY**

GTLENW                      Manufacture #                      \$4.00 / Each or 10 or More \$3.75 per Each

**WIRE REPLACEMENT**

GTWIRER                      Manufacture #                      \$4.00 / Each or 10 or More \$3.75 per Each

## 2012 IN-LITE LANDSCAPE LIGHTING



### 12 Volt low voltage

The transformer (transformer) is connected to the 120 V mains. This makes the system safe, even if the cable becomes damaged. This is a reassuring thought, particularly if there are children or pets in the vicinity.



### 5-year guarantee

In-lite focuses on achieving technical perfection in its fittings. You get a 5-year guarantee on the construction of the fitting and all LED lighting when you purchase an in-lite system.



### Plug Play: a piece of cake!

Fittings with the special Easy-lock system can literally be connected to the main low-voltage transmission cable in a jiffy (12 V), after which they can be operated from one spot or, if required, switched on and off automatically. Unroll the cable from the transformer, connect a fitting and there you are. The cable can end anywhere. Furthermore, the cables do not have to form a closed system. You can conceal the cables directly under the paving or, in the borders, by covering them with earth. Fittings with halogen or LED lighting can, moreover, be connected through one another to the same cable.



### Quick to install

You do not need any technical know-how to install in-lite garden lighting. The principle is quick and simple, and easy to alter later on too. On average, it only takes about 20 minutes to install a basic system with one or more fittings. If you have a lighting plan it is simply a question of unrolling cables and connecting the fittings at the places you have chosen.

NOT ALL PRODUCTS STOCKED.  
PRODUCTS CAN BE ORDERED.  
MOST PRODUCTS ARE AVAILABLE IN TWO BUSINESS DAYS.